T7339i

PCIe x16 E810 Dual- 100G QSFP28 RDMA Server NIC

Chipset: Intel EZE810CAM2 Configuration: 2 x QSFP28 Port
Data Rate Per Port: 100/50/25/10/1GbE

Dimension: 167 x 69 mm(PCIe Board) Product weight: 173.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7340i

PCIe x16 E810 Single-100G QSFP28 RDMA Server NIC

Chipset: Intel EZE810CAM1 Configuration: 1 x QSFP28 Port
Data Rate Per Port: 100/50/25/10/1GbE

Dimension: 167 x 69 mm(PCIe Board) Product weight: 165 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7342i



PCIe x16 E810 Quad- 25G SFP28 RDMA Server NIC

Chipset: Intel EZE810CAM1 Configuration: 4 x SFP28 Port
Data Rate Per Port: 25/10/1GbE

Dimension: 167 x 69 mm(PCIe Board) Product weight: 278 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7341i

PCIe x8 E810 Dual- 25G SFP28 RDMA Server NIC

Chipset: Intel EYE810AM2 Configuration: 2 x SFP28 Port
Data Rate Per Port: 25/10/1GbE

Dimension: 167 x 69 mm(PCIe Board) Product weight: 174.6 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7329i

PCIe x8 X722-DA4 Quad-10G RDMA Server NIC

Chipset: Intel X722 Configuration: 4 x SFP+ Port
Data Rate Per Port: 10GbE

Dimension: 145 x 68 mm(PCIe Board) Product weight: 137.5 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7328i

PCIe x8 X722-DA2 Dual-10G RDMA Server NIC

Chipset: Intel X722 Configuration: 2 x SFP+ Port
Data Rate Per Port: 10GbE

Dimension: 150 x 68 mm(PCIe Board) Product weight: 155 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7222i

PCIe x8 XL710-QDA1 Single-40G QSFP+ Server NIC

Chipset: Intel FTXL710-BM1 Configuration: 2 x QSFP+ Port
Data Rate Per Port: 40/10GbE

Dimension: 167 x 69 mm(PCIe Board) Product weight: 118.6 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7221i

PCIe x8 XL710-QDA2 Dual-40G QSFP+ Server NIC

Chipset: Intel FTXL710-BM2 Configuration: 2 x QSFP+ Port
Data Rate Per Port: 40/10GbE

Dimension: 167 x 69 mm(PCIe Board) Product weight: 130.6 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7218i

PCIe x8 X710-DA2 Dual- 10G SFP+ Server NIC

Chipset: Intel FTX710-BM2 Configuration: 2 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 167 x 69 mm(PCIe Board) Product weight: 132.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7219i



PCIe x8 X710-DA4 Quad- 10G SFP+ Server NIC

Chipset: Intel FTXL710-BM1 Configuration: 4 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 167 x 69 mm(PCIe Board) Product weight: 107.5 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7220i

PCIe x8 XXV710 Dual- 25G SFP28 Server NIC

Chipset: Intel FTXXV710-AM2 Configuration: 2 x SFP28 Port
Data Rate Per Port: 25/10/1GbE

Dimension: 167 x 69 mm(PCIe Board) Product weight: 106.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7448i

PCIe x8 XL710-QDA2 Dual-40G QSFP+ Server NIC

Chipset: Intel FTXL710-BM2 Configuration: 2 x QSFP+ Port
Data Rate Per Port: 40/10GbE

Dimension: 167 x 69 mm(PCIe Board) Product weight: 162.9 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7268i



PCIe x8 X520-DA2 Dual-10G SFP+ Server NIC

Chipset: Intel JL82599ES Configuration: 2 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 145 x 69 mm(PCIe Board) Product weight: 105.6 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7313i

PCIe x8 X520-DA4 Quad-10G SFP+ Server NIC

Chipset: Intel 82599 + PEX8747 Configuration: 4 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 170 x 69 mm(PCIe Board) Product weight: 186.6 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T723i

PCIe x8 X520-DA2 Dual-10G SFP+ Server NIC

Chipset: Intel JL82599ES Configuration: 2 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 145 x 69 mm(PCIe Board) Product weight: 107.5 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7327i

PCIe x8 X520-DA2 Dual-10G SFP+ Server NIC

Chipset: Intel JL82599ES Configuration: 2 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 130 x 69 mm(PCIe Board) Product weight: 127.5 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7278i



PCIe x8 X520-DA1 Single- 10G SFP+ Server NIC

Chipset: Intel JL82599EN Configuration: 1 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 165 x 69 mm(PCIe Board) Product weight: 95.3 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7211i

PCIe x8 X520-DA1 Single- 10G SFP+ Server NIC

Chipset: Intel JL82599EN Configuration: 1 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 145 x 69 mm(PCIe Board) Product weight: 98.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7315i

PCIe x4 X520-DA1 Single- 10G SFP+ Server NIC

Chipset: Intel JL82599EN Configuration: 1 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 130 x 69 mm(PCIe Board) Product weight: 76.6 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7316i

PCIe x8 X520-DA1 Single- 10G SFP+ Server NIC

Chipset: Intel JL82599EN Configuration: 1 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 130 x 69 mm(PCIe Board) Product weight: 77.5 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7390i



PCIe x1 I210-F1 Single-1G SFP Fiber Server NIC

Chipset: Intel WGI210CS Configuration: 1 x SFP Port
Data Rate Per Port: 1GbE

Dimension: 96 x 62 mm(PCIe Board) Product weight: 42.7 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T721i



PCIe x1 I210-F1 Single-1G SFP Fiber Server NIC

Chipset: Intel WGI210AS Configuration: 1 x SFP Port
Data Rate Per Port: 1GbE

Dimension: 105 x 56 mm(PCIe Board) Product weight: 42.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7383i



PCIe x1 I210-F1 Single-1G SC Fiber Server NIC

Chipset: Intel WGI210CL Configuration: 1 x SC Fiber
Data Rate Per Port: 1GbE

Dimension: 96 x 62 mm(PCIe Board) Product weight: 46.1 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7379i



PCIe x8 X520-DA2 Dual-10G SFP+ Server NIC

Chipset: Intel JL82599ES Configuration: 2 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 130 x 68 mm(PCIe Board) Product weight: 81.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T728i

PCIe x4 I350-F2 Dual- 1G SFP Fiber Server NIC

Chipset: Intel NHI350AM2 Configuration: 2 x SFP Port
Data Rate Per Port: 1GbE

Dimension: 113 x 69 mm(PCIe Board) Product weight: 82.8 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7256i

PCIe x1 I350-F2 Dual- 1G SFP Fiber Server NIC

Chipset: Intel NHI350AM2 Configuration: 2 x SFP Port
Data Rate Per Port: 1GbE

Dimension: 113 x 69 mm(PCIe Board) Product weight: 80.3 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7315i



PCIe x1 I350-F4 Quad- 1G SFP Fiber Server NIC

Chipset: Intel NHI350AM4 Configuration: 4 x SFP Port
Data Rate Per Port: 1GbE

Dimension: 120 x 68 mm(PCIe Board) Product weight: 83.7 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7212i

PCIe x4 I350-F4 Quad- 1G SFP Fiber Server NIC

Chipset: Intel NHI350AM4 Configuration: 4 x SFP Port
Data Rate Per Port: 1GbE

Dimension: 113 x 69 mm(PCIe Board) Product weight: 83.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7296i

PCIe x1 82576-F1 Single-1G SFP Fiber Server NIC

Chipset: Intel JL82576EB Configuration: 1 x SFP Port
Data Rate Per Port: 1GbE

Dimension: 98 x 69 mm(PCIe Board) Product weight: 60 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7404i



PCIe x4 82576-F2 Dual-1G SFP Fiber Server NIC

Chipset: Intel JL82576EB Configuration: 2 x SFP Port
Data Rate Per Port: 1GbE

Dimension: 98 x 68 mm(PCIe Board) Product weight: 81.5 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T722i

PCIe x4 82576-F2 Dual-1G SFP Fiber Server NIC

Chipset: Intel JL82576EB Configuration: 2 x SC Fiber
Data Rate Per Port: 1GbE

Dimension: 113 x 69 mm(PCIe Board) Product weight: 65 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7257i



PCIe x1 82576-F2 Dual-1G SFP Fiber Server NIC

Chipset: Intel JL82576EB Configuration: 2 x SC Fiber
Data Rate Per Port: 1GbE

Dimension: 113 x 69 mm(PCIe Board) Product weight: 62 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MT7338

PCIe x16 ConnectX-5 Dual-100G QSFP28 RDMA NIC

Chipset: Mellanox ConnectX-5 Configuration: 2 x QSFP28 Port
Data Rate Per Port: 100/50/40/25/10/1GbE

Dimension: 150 x 68 mm(PCIe Board) Product weight: 155 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MT7337



PCIe x8 ConnectX-5 Dual-25G SFP28 RDMA NIC

Chipset: Mellanox ConnectX-5 Configuration: 2 x SFP28 Port
Data Rate Per Port: 25/10/1GbE

Dimension: 145 x 68 mm(PCIe Board) Product weight: 137.5 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MT7336

PCIe x16 ConnectX-4 Dual-100G QSFP28 RDMA NIC

Chipset: Mellanox ConnectX-4 Configuration: 2 x QSFP28 Port
Data Rate Per Port: 100/50/40/25/10/1GbE

Dimension: 150 x 68 mm(PCIe Board) Product weight: 155.8 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MT7330

PCIe x8 ConnectX-4 Single-50G QSFP28 RDMA NIC

Chipset: Mellanox ConnectX-4 Configuration: 1 x QSFP28 Port
Data Rate Per Port: 50/40/25/10/1GbE

Dimension: 150 x 68 mm(PCIe Board) Product weight: 154.1 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MT7350



PCIe x16 ConnectX-4 Quad-25G SFP28 RDMA NIC

Chipset: Mellanox ConnectX-4 Configuration: 4 x SFP28 Port
Data Rate Per Port: 25/10/1GbE

Dimension: 150 x 68 mm(PCIe Board) Product weight: 195 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MT7369



PCIe x8 ConnectX-4 Dual-25G SFP28 RDMA NIC

Chipset: Mellanox ConnectX-4 Configuration: 2 x SFP28 Port
Data Rate Per Port: 25/10/1GbE

Dimension: 145 x 68 mm(PCIe Board) Product weight: 139.3 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MT7374



PCIe x8 ConnectX-4 Dual-10G SFP28 RDMA NIC

Chipset: Mellanox ConnectX-4 Configuration: 2 x SFP28 Port
Data Rate Per Port: 10/1GbE

Dimension: 145 x 68 mm(PCIe Board) Product weight: 142 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MT7312



PCIe x8 ConnectX-4 Dual-25G SFP28 RDMA NIC

Chipset: Mellanox ConnectX-4 Configuration: 2 x SFP28 Port
Data Rate Per Port: 25/10/1GbE

Dimension: 150 x 68 mm(PCIe Board) Product weight: 153.7 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MT7384

PCIe x8 X-3 FDR InfiniBand 40G QSFP+ Server NIC

Chipset: Mellanox ConnectX-3 Configuration: 2 x QSFP+ Port
Data Rate Per Port: 40/10GbE

Dimension: 152 x 68 mm(PCIe Board) Product weight: 130.8 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MT7386

PCIe x8 X-3 FDR InfiniBand 56G QSFP+ Server NIC

Chipset: Mellanox ConnectX-3 Configuration: 2 x QSFP+ Port
Data Rate Per Port: 56/40/10GbE

Dimension: 152 x 68 mm(PCIe Board) Product weight: 138.5 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MT7288

PCIe x8 ConnectX-3 Dual-40G QSFP+ Server NIC

Chipset: Mellanox ConnectX-3 Configuration: 2 x QSFP+ Port
Data Rate Per Port: 40/10GbE

Dimension: 152 x 68 mm(PCIe Board) Product weight: 139.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MT7294

PCIe x8 ConnectX-3 Single-40G QSFP+ Server NIC

Chipset: Mellanox ConnectX-3 Configuration: 1 x QSFP+ Port
Data Rate Per Port: 40/10GbE

Dimension: 152 x 68 mm(PCIe Board) Product weight: 128.8 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MT7306

PCIe x8 ConnectX-3 Single-10G SFP+ Server NIC

Chipset: Mellanox ConnectX-3 Configuration: 1 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 165 x 69 mm(PCIe Board) Product weight: 103.6 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MT7286

PCIe x8 ConnectX-3 Dual-10G SFP+ Server NIC

Chipset: Mellanox ConnectX-3 Configuration: 2 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 165 x 69 mm(PCIe Board) Product weight: 110.9 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MT7295

PCIe x8 ConnectX-3 Dual-56G QSFP+ Server NIC

Chipset: Mellanox ConnectX-3 Configuration: 2 x QSFP+ Port
Data Rate Per Port: 56/40/10GbE

Dimension: 152 x 68 mm(PCIe Board) Product weight: 137.6 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

CT7378i



PCIe x16 100GbE Server Crypto/Compression Adapter

Chipset: Intel C627 Configuration: -
Data Rate Per Port: IPSec/SSL, Speeds of up to 100 Gbps

Dimension: x mm(PCIe Board) Product weight: g
Accessories: 1 x Low profile bracket, 1 x User's Manual, 1 x Neutral box

CT7382i



PCIe x8 20GbE Server Crypto/Compression Adapter

Chipset: Intel C625 Configuration: -
Data Rate Per Port: IPSec/SSL, Speeds of up to 20 Gbps

Dimension: x mm(PCIe Board) Product weight: g
Accessories: 1 x Low profile bracket, 1 x User's Manual, 1 x Neutral box

CT7370i



PCIe x8 40GbE Server Crypto/Compression Adapter

Chipset: Intel C626 Configuration: -
Data Rate Per Port: IPSec/SSL, Speeds of up to 40 Gbps

Dimension: x mm(PCIe Board) Product weight: g
Accessories: 1 x Low profile bracket, 1 x User's Manual, 1 x Neutral box

QT7425

PCIe X8 QLogic Dual-Channel 10G Fibre Server NIC

Chipset: Marvell QLogic Configuration: 2 x SFP+ Port
Data Rate Per Port: 10GbE

Dimension: 165 x 69 mm(PCIe Board) Product weight: 174.5 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

QT7426

PCIe X8 QLogic Quad-Channel 10G Fibre Server NIC

Chipset: Marvell QLogic Configuration: 4 x SFP+ Port
Data Rate Per Port: 10GbE

Dimension: 165 x 69 mm(PCIe Board) Product weight: 190.3 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

BT7321i



PCIe x8 BCM57810 Dual- 10G SFP+ Server NIC

Chipset: Broadcom BCM57810 Configuration: 2 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 165 x 68 mm(PCIe Board) Product weight: 117.5 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

BT7322

PCIe x8 BCM57840 Quad- 10G SFP+ Server NIC

Chipset: Broadcom BCM57840 Configuration: 4 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 165 x 68 mm(PCIe Board) Product weight: 135 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7263i



PCI RC82545EM Single-1G SFP Fiber Server NIC

Chipset: Intel RC82545EM Configuration: 1 x SFP Port
Data Rate Per Port: 1GbE

Dimension: 120 x 52 mm(PCI Board) Product weight: 46.3 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

BT7285



PCIe BCM5720 Single-1G SFP Fiber Server NIC

Chipset: Broadcom BCM5720 Configuration: 1 x SFP Port
Data Rate Per Port: 1GbE

Dimension: 88 x 69 mm(PCIe Board) Product weight: 46.9 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

RT7290



PCIe x1 RTL8105E 100M SFP Fast Ethernet Card

Chipset: Realtek RTL8105E Configuration: 1 x SFP Port
Data Rate Per Port: 100Mbps

Dimension: 100 x 65 mm(PCIe Board) Product weight: 46 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

RT7354

PCIe x1 RTL8106E 100M SFP Fast Ethernet Card

Chipset: Realtek RTL8106E Configuration: 1 x SFP Port
Data Rate Per Port: 100Mbps

Dimension: 70 x 55 mm(PCIe Board) Product weight: 36.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

RT711



PCIe x1 RTL8105E 100M SC Fiber Ethernet Card

Chipset: Realtek RTL8105E Configuration: 1 x SC Fiber
Data Rate Per Port: 100Mbps

Dimension: 113 x 65 mm(PCIe Board) Product weight: 49.8 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

RT7317



PCIe x1 RTL8106E 100M SC Fiber Ethernet Card

Chipset: Realtek RTL8106E Configuration: 1 x SC Fiber
Data Rate Per Port: 100Mbps

Dimension: 70 x 55 mm(PCIe Board) Product weight: 38.6 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

T7262i



PCI RC82540 Single-1G RJ45 Copper Server NIC

Chipset: Intel RC82540EM Configuration: 1 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 120 x 51 mm(PCI Board) Product weight: 45 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7416i

PCI RC82545 Single-1G RJ45 Copper Server NIC

Chipset: Intel RC82545EM Configuration: 1 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 120 x 63 mm(PCI Board) Product weight: 53.1 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7415i

PCI RC82545EM Single-1G SC Fiber Server NIC

Chipset: Intel RC82545EM Configuration: 1 x SC Fiber
Data Rate Per Port: 1GbE

Dimension: 119 x 53 mm(PCI Board) Product weight: 50 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

PT7261

PCI IC Plus IP100A 100M SC Fiber Ethernet NIC

Chipset: IC IP100A Configuration: 1 x SC Fiber
Data Rate Per Port: 100/10Mbps

Dimension: 120 x 50 mm(PCI Board) Product weight: 48.6 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7323i



PCIe x8 X710-T2L Dual-10G RJ45 Copper Server NIC

Chipset: Intel X710-AT2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 10GbE/5GbE/2.5GbE/1GbE/100Mb

Dimension: 167 x 69 mm(PCIe Board) Product weight: 111.3 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7223i

PCIe x8 X710-T4 Quad-10G RJ45 Copper Server NIC

Chipset: Intel XL710 + X557 Configuration: 4 x RJ45 Port
Data Rate Per Port: 10GbE/1GbE/100Mb

Dimension: 167 x 69 mm(PCIe Board) Product weight: g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7216i



PCIe x4 X550-T2 Dual- 10G RJ45 Copper Server NIC

Chipset: Intel ELX550-AT2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 10GbE/5GbE/2.5GbE/1GbE/100Mb

Dimension: 153 x 69 mm(PCIe Board) Product weight: 137 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7405i



PCIe x4 X550-T2 Dual- 10G RJ45 Copper Server NIC

Chipset: Intel ELX550-AT2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 10GbE/5GbE/2.5GbE/1GbE/100Mb

Dimension: 130 x 69 mm(PCIe Board) Product weight: 128.3 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7217i

PCIe x4 X550-T1 Single-10G RJ45 Copper Server NIC

Chipset: Intel X550 Configuration: 1 x RJ45 Port
Data Rate Per Port: 10GbE/5GbE/2.5GbE/1GbE/100Mb

Dimension: 153 x 69 mm(PCIe Board) Product weight: 130 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7381i

PCIe x4 X550-T1 Single-10G RJ45 Copper Server NIC

Chipset: Intel X550 Configuration: 1 x RJ45 Port
Data Rate Per Port: 10GbE/5GbE/2.5GbE/1GbE/100Mb

Dimension: 130 x 68 mm(PCIe Board) Product weight: g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7307i

PCIe x8 X550-T1 Single-10G RJ45 Copper Server NIC

Chipset: Intel X550 Configuration: 1 x RJ45 Port
Data Rate Per Port: 10GbE/5GbE/2.5GbE/1GbE/100Mb

Dimension: 167 x 68 mm(PCIe Board) Product weight: 115 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7280i

PCIe x8 X550-T2 Dual- 10G RJ45 Copper Server NIC

Chipset: Intel X550 Configuration: 2 x RJ45 Port
Data Rate Per Port: 10GbE/5GbE/2.5GbE/1GbE/100Mb

Dimension: 167 x 68 mm(PCIe Board) Product weight: 132.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7352i



PCIe x4 X550-T2 Dual- 10G RJ45 Copper Server NIC

Chipset: Intel X550 Configuration: 2 x RJ45 Port
Data Rate Per Port: 10GbE/5GbE/2.5GbE/1GbE/100Mb

Dimension: 155 x 69 mm(PCIe Board) Product weight: 171.3 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7368i



PCIe x4 X550-T2 Dual- 10G RJ45 Copper Server NIC

Chipset: Intel ELX550-AT2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 10GbE/5GbE/2.5GbE/1GbE/100Mb

Dimension: 130 x 68 mm(PCIe Board) Product weight: 140.7 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7213i

PCIe x8 X520-T1 Single-10G RJ45 Copper Server NIC

Chipset: Intel JL82599EN Configuration: 1 x RJ45 Port
Data Rate Per Port: 10GbE/1GbE/100Mb

Dimension: 145 x 69 mm(PCIe Board) Product weight: 106.8 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7409i



PCIe x4 X520-T1 Single-10G RJ45 Copper Server NIC

Chipset: Intel JL82599EN Configuration: 1 x RJ45 Port
Data Rate Per Port: 10GbE/1GbE/100Mb

Dimension: 138 x 67 mm(PCIe Board) Product weight: 106.1 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7214i



PCIe x8 X540-T2 Dual- 10G RJ45 Copper Server NIC

Chipset: Intel ELX540-AT2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 10GbE/1GbE/100Mb

Dimension: 152 x 68 mm(PCIe Board) Product weight: 173 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7253i



PCIe x8 X540-T2 Dual- 10G RJ45 Copper Server NIC

Chipset: Intel ELX540-AT2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 10GbE/1GbE/100Mb

Dimension: 152 x 68 mm(PCIe Board) Product weight: g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7318i

PCIe x8 X540-T2 Dual- 10G RJ45 Copper Server NIC

Chipset: Intel X540-AT2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 10GbE/1GbE/100Mb

Dimension: 145 x 68 mm(PCIe Board) Product weight: 149.3 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7319i



PCIe x4 X540-T2 Dual- 10G RJ45 Copper Server NIC

Chipset: Intel X540-AT2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 10GbE/1GbE/100Mb

Dimension: 145 x 68 mm(PCIe Board) Product weight: 148 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7215i

PCIe x8 X540-T1 Single-10G RJ45 Copper Server NIC

Chipset: Intel X540-AT1 Configuration: 1 x RJ45 Port
Data Rate Per Port: 10GbE/1GbE/100Mb

Dimension: 152 x 68 mm(PCIe Board) Product weight: g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7250i



PCI PRO/1000 MT Dual-1G RJ45 Copper Server NIC

Chipset: Intel NH82546GB Configuration: 2 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 130 x 65 mm(PCI Board) Product weight: 62.7 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

NT7310

PCIe x4 WX1860 Quad-1G RJ45 Copper Server NIC

Chipset: NETSWIFT WX1860 Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 150 x 68 mm(PCIe Board) Product weight: 112 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

NT7311



PCIe x1 WX1860 Quad-1G RJ45 Copper Server NIC

Chipset: NETSWIFT WX1860 Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 150 x 68 mm(PCIe Board) Product weight: 110 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

T7373i

PCIe x4 I350-T8 Eight-1G RJ45 Machine Vision NIC

Chipset: Intel NHI350AM4 + Configuration: 8 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 132 x 98 mm(PCIe Board) Product weight: 262.3 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

T7376i

PCIe x4 I350-T6 Six-1G RJ45 Machine Vision NIC

Chipset: Intel NHI350AM4 + Configuration: 6 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 132 x 98 mm(PCIe Board) Product weight: 244.8 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

T7420i



PCIe x4 I350-T4 Quad-1G RJ45 Machine Vision NIC

Chipset: Intel NHI350AM4 Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 135 x 69 mm(PCIe Board) Product weight: 104.3 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7418i



PCIe x4 I350-T4 Quad-1G RJ45 Machine Vision NIC

Chipset: Intel NHI350AM4 Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 126 x 100 mm(PCIe Board) Product weight: 125.3 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

T7238i

PCIe x4 I350-T4 Quad-1G RJ45 Machine Vision NIC

Chipset: Intel NHI350AM4 Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 130 x 69 mm(PCIe Board) Product weight: 83 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7233i

PCIe x1 I350-T4 Quad-1G RJ45 Machine Vision NIC

Chipset: Intel NHI350AM4 Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 130 x 69 mm(PCIe Board) Product weight: 80 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7229i

PCIe x1 82576EB Quad-1G RJ45 Machine Vision NIC

Chipset: Intel JL82576EB Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 158 x 69 mm(PCIe Board) Product weight: 142 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7308i

PCIe x4 I350T2V2 Quad-1G RJ45 Machine Vision NIC

Chipset: Intel NHI350AM2*2 Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 155 x 68 mm(PCIe Board) Product weight: 125 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T724i

PCIe x4 I350-T4 Quad-1G RJ45 Copper Server NIC

Chipset: Intel NHI350AM4 Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 100 x 69 mm(PCIe Board) Product weight: 84 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7234i

PCIe x1 I350-T4 Quad-1G RJ45 Copper Server NIC

Chipset: Intel NHI350AM4 Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 100 x 69 mm(PCIe Board) Product weight: 82 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T727i

PCIe x4 I350-T2 Dual-1G RJ45 Copper Server NIC

Chipset: Intel NHI350AM2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 118 x 69 mm(PCIe Board) Product weight: 84.6 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7232i



PCIe x1 I350-T2 Dual-1G RJ45 Copper Server NIC

Chipset: Intel NHI350AM2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 118 x 69 mm(PCIe Board) Product weight: 83.3 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7372i



PCIe x4 I210-T4 Quad-1G RJ45 Machine Vision NIC

Chipset: Intel WGI210AT Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 145 x 99 mm(PCIe Board) Product weight: 192.6 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

T7385i

PCIe x4 I210-T4 Quad-1G RJ45 Machine Vision NIC

Chipset: Intel WGI210AT Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 149 x 68 mm(PCIe Board) Product weight: 173 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7408i



PCIe x4 I210-T4 Quad- 1G RJ45 Server NIC (WOL)

Chipset: Intel WGI210AT Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 149 x 68 mm(PCIe Board) Product weight: 173 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T729i

PCIe x1 I210-T1 Single-1G RJ45 Copper Server NIC

Chipset: Intel WGI210AT Configuration: 1 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 93 x 55 mm(PCIe Board) Product weight: 41.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7252i



PCIe x1 I210-T1 Single-1G RJ45 Copper Server NIC

Chipset: Intel WGI210AT Configuration: 1 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 65 x 55 mm(PCIe Board) Product weight: 36.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7204i

PCIe x1 I210-T1 Single-1G RJ45 Copper Server NIC

Chipset: Intel WGI210AT Configuration: 1 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 80 x 43 mm(PCIe Board) Product weight: 32.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7224i



PCIe x1 I211-T1 Single-1G RJ45 Copper Server NIC

Chipset: Intel WGI211AT Configuration: 1 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 83 x 45 mm(PCIe Board) Product weight: 31.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7230i

PCIe x1 82583V Single-1G RJ45 Copper Server NIC

Chipset: Intel WG82583V Configuration: 1 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 103 x 56 mm(PCIe Board) Product weight: 40.8 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7260i

PCIe x4 I340-T4 Quad-1G RJ45 Machine Vision NIC

Chipset: Intel NH82580EB Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 130 x 69 mm(PCIe Board) Product weight: 83 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7270i

PCIe x1 I340-T4 Quad-1G RJ45 Machine Vision NIC

Chipset: Intel NH82580EB Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 130 x 69 mm(PCIe Board) Product weight: 80 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7259i

PCIe x1 I340-T2 Dual-1G RJ45 Copper Server NIC

Chipset: Intel NH82580DB Configuration: 2 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 129 x 68 mm(PCIe Board) Product weight: 85.8 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7422i



PCIe x4 I340-T4 Quad-1G RJ45 Machine Vision NIC

Chipset: Intel NH82580EB Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 135 x 69 mm(PCIe Board) Product weight: 119.1 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7239i

PCIe x1 82576EB Dual-1G RJ45 Copper Server NIC

Chipset: Intel JL82576EB Configuration: 2 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 113 x 69 mm(PCIe Board) Product weight: 74 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T726i



PCIe x4 82576EB Dual-1G RJ45 Copper Server NIC

Chipset: Intel JL82576EB Configuration: 2 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 113 x 69 mm(PCIe Board) Product weight: 79 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T725i



PCIe x1 82575EB Dual-1G RJ45 Copper Server NIC

Chipset: Intel JL82575EB Configuration: 2 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 113 x 69 mm(PCIe Board) Product weight: 74 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7291i

PCIe x1 82575EB Quad-1G RJ45 Copper Server NIC

Chipset: Intel JL82575EB Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 158 x 69 mm(PCIe Board) Product weight: 142 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7210i



PCIe x1 82574L Single-1G RJ45 Copper Server NIC

Chipset: Intel WG82574L Configuration: 1 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 103 x 56 mm(PCIe Board) Product weight: 40.8 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7264i



PCIe x1 82573L Single-1G RJ45 Copper Server NIC

Chipset: Intel WG82573L Configuration: 1 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 99 x 50 mm(PCIe Board) Product weight: g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7279i



PCIe x1 82571GB Dual-1G RJ45 Copper Server NIC

Chipset: Intel JL82571GB Configuration: 2 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 85 x 68 mm(PCIe Board) Product weight: 65.8 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7297i

PCIe x1 82571GB Quad-1G RJ45 Copper Server NIC

Chipset: Intel JL82571GB Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 132 x 68 mm(PCIe Board) Product weight: 106 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7309i



PCIe x4 I225-T4 Quad-1G RJ45 Machine Vision NIC

Chipset: Intel I225-V + Configuration: 4 x RJ45 Port
Data Rate Per Port: 2.5GbE/1GbE/100Mbps/10Mbps

Dimension: 108 x 69 mm(PCIe Board) Product weight: 98.7 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7423i

PCIe x4 I225-T4 Quad-1G RJ45 Machine Vision NIC

Chipset: Intel I225-V + Configuration: 4 x RJ45 Port
Data Rate Per Port: 2.5GbE/1GbE/100Mbps/10Mbps

Dimension: 140 x 68 mm(PCIe Board) Product weight: 162 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7265i



PCIe x1 I225-T1 Single-1G RJ45 Copper Server NIC

Chipset: Intel I225-V Configuration: 1 x RJ45 Port
Data Rate Per Port: 2.5GbE/1GbE/100Mbps/10Mbps

Dimension: 72 x 55 mm(PCIe Board) Product weight: 37.1 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7207i



PCIe x1 I225-T2 Dual-1G RJ45 Copper Server NIC

Chipset: Intel I225-V + Configuration: 2 x RJ45 Port
Data Rate Per Port: 2.5GbE/1GbE/100Mbps/10Mbps

Dimension: 82 x 65 mm(PCIe Board) Product weight: 60.3 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

AQ7375



PCIe x4 AQC113C Single- 10G mGig RJ45 Server NIC

Chipset: Marvell AQC113C Configuration: 1 x RJ45 Port
Data Rate Per Port: 10G/5G/2.5G/1G/100M/10M

Dimension: 79 x 68 mm(PCIe Board) Product weight: 75 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

AQ7356



PCIe x4 AQC107S Single- 10G mGig RJ45 Server NIC

Chipset: Marvell AQC107S Configuration: 1 x RJ45 Port
Data Rate Per Port: 10G/5G/2.5G/1G/100M

Dimension: 105 x 68 mm(PCIe Board) Product weight: 115 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

AQ7357



PCIe x4 AQC107S Single-10G mGig RJ45 Server NIC

Chipset: Marvell AQC107S Configuration: 1 x RJ45 Port
Data Rate Per Port: 10G/5G/2.5G/1G/100M

Dimension: 79 x 68 mm(PCIe Board) Product weight: 76.5 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

AQ7358



PCIe x4 AQC107S Dual- 10G mGig RJ45 Server NIC

Chipset: Marvell AQC107S + Configuration: 1 x RJ45 Port
Data Rate Per Port: 10G/5G/2.5G/1G/100M

Dimension: 107 x 69 mm(PCIe Board) Product weight: 126 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

AQ7267

PCIe x4 AQC107 Single- 10G mGig RJ45 Server NIC

Chipset: Marvell AQC107 Configuration: 1 x RJ45 Port
Data Rate Per Port: 10G/5G/2.5G/1G/100M

Dimension: 132 x 68 mm(PCIe Board) Product weight: 90 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

AQ7406



PCIe x4 AQC107 Single- 10G RJ45 Server NIC WOL

Chipset: Marvell AQC107 Configuration: 1 x RJ45 Port
Data Rate Per Port: 10G/5G/2.5G/1G/100M

Dimension: 132 x 68 mm(PCIe Board) Product weight: 100.6 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

AQ7209

PCIe x1 BCM5719-4P Quad-1G Ethernet Server NIC

Chipset: Broadcom BCM5719 Configuration: 4 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mb/s

Dimension: 118 x 68 mm(PCIe Board) Product weight: 83.4 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

AQ7208

PCIe x4 BCM5719-4P Quad-1G Ethernet Server NIC

Chipset: Broadcom BCM5719 Configuration: 4 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mb/s

Dimension: 118 x 68 mm(PCIe Board) Product weight: 85 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

BT7287

PCIe x1 BCM5720-2P Dual-1G Ethernet Server NIC

Chipset: Broadcom BCM5720 Configuration: 2 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mb/s

Dimension: 85 x 68 mm(PCIe Board) Product weight: 51.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

BT7284

PCIe x1 BCM5718-2P Dual-1G Ethernet Server NIC

Chipset: Broadcom BCM5718 Configuration: 2 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mb/s

Dimension: 75 x 68 mm(PCIe Board) Product weight: 49.5 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

BT7289



PCIe x1 BCM5721-1P Single-1G Ethernet Server NIC

Chipset: Broadcom BCM5721 Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mb/s

Dimension: 82 x 55 mm(PCIe Board) Product weight: 45.6 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

BT7292

PCIe x1 BCM5751-1P Single-1G Ethernet Server NIC

Chipset: Broadcom BCM5751 Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mb/s

Dimension: 82 x 55 mm(PCIe Board) Product weight: 45.6 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7335i



PCIe x8 X540 Dual-10G PoE+ Vision Frame Grabber NIC

Chipset: Intel X540-AT2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 10GbE/1GbE/100Mb

Dimension: 158 x 69 mm(PCIe Board) Product weight: 128.3 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7298i



PCIe x4 X550 Dual-10G PoE+ Vision Frame Grabber NIC

Chipset: Intel ELX550-AT2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 10GbE/5GbE/2.5GbE/1GbE/100Mb

Dimension: 158 x 69 mm(PCIe Board) Product weight: 130 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7283i

PCIe x4 I350-T2 Dual-1G PoE+ Vision Frame Grabber NIC

Chipset: Intel NHI350AM2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 158 x 69 mm(PCIe Board) Product weight: 171.5 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7246i



PCIe x4 I350-T4 Quad-1G PoE+ Vision Frame Grabber NIC

Chipset: Intel NHI350AM4 Configuration: 4 x PoE Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 137 x 65 mm(PCIe Board) Product weight: 137.5 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7225i



PCIe x1 I210 Single-1G PoE+ Vision Frame Grabber NIC

Chipset: Intel WGI210AT Configuration: 1 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 113 x 69 mm(PCIe Board) Product weight: 83.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

T7231i

PCIe x4 82576EB Dual-1G PoE+ Vision Frame Grabber NIC

Chipset: Intel JL82576EB Configuration: 2 x PoE Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 160 x 69 mm(PCIe Board) Product weight: 165.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MV739

10G Fiber Optic Transceiver / 10G Media Converter

Chipset: Marvell 88X3310 Configuration: 1 x RJ45 Port
Data Rate: 10GbE / 1GbE / 100Mbps 1 x SFP+ Port

Dimension: L118 x W86 x H28 mm Product weight: 288 g
Accessories: 1 x DC5-12V Power Supply , 1 x Neutral box

MV7401

Pending

10G Fiber Optic Repeater / 10G Media Amplifier

Chipset: Marvell 88X3310 Configuration:
Data Rate: 10GbE / 1GbE / 100Mbps

Dimension: L118 x W86 x H28 mm Product weight: 288 g
Accessories: 1 x DC5-12V Power Supply , 1 x Neutral box

T7389i

Pending

E810-CQDA1 Single-100G QSFP28 for OCP 3.0 NIC

Chipset: Intel EZE810CAM1 Configuration: 1 x QSFP28 Port
Data Rate Per Port: 100/50/25/10GbE

Dimension: 115 x 76 mm(Form Factor) Product weight: g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

T7388i

E810-CQDA2 Dual-100G QSFP28 for OCP 3.0 NIC

Chipset: Intel EZE810CAM2 Configuration: 2 x QSFP28 Port
Data Rate Per Port: 100/50/25/10GbE

Dimension: 115 x 76 mm(Form Factor) Product weight: 117 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

T7400i

E810-XXVDA2 Dual-25G SFP28 for OCP 3.0 NIC

Chipset: Intel EYE810AM2 Configuration: 4 x SFP28 Port
Data Rate Per Port: 25/10/1GbE

Dimension: 115 x 76 mm(Form Factor) Product weight: 105.7 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

T7394i



E810-XXVDA4 Quad-25G SFP28 for OCP 3.0 NIC

Chipset: Intel EZE810CAM1 Configuration: 4 x SFP28 Port
Data Rate Per Port: 25/10/1GbE

Dimension: 115 x 76 mm(Form Factor) Product weight: 116.5 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

OCP7428i

X710-T2L Dual-10G RJ45 Copper for OCP 3.0 NIC

Chipset: Intel X710-AT2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 10GbE/5GbE/2.5GbE/1GbE/100Mb

Dimension: 115 x 76 mm(Form Factor) Product weight: 103.6 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

OCP

Pending

X710-T4L Quad-10G RJ45 Copper for OCP 3.0 NIC

Chipset: Intel X710-TM4 Configuration: 4 x RJ45 Port
Data Rate Per Port: 10GbE/5GbE/2.5GbE/1GbE/100Mb

Dimension: 115 x 76 mm(Form Factor) Product weight: g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

OCP7399i

X550-T2 Dual-10G RJ45 Copper for OCP 3.0 NIC

Chipset: Intel ELX550-AT2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 10GbE/5GbE/2.5GbE/1GbE/100Mb

Dimension: 115 x 76 mm(Form Factor) Product weight: 99.3 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

OCP7398i

Pending

X540-T2 Dual-10G RJ45 Copper for OCP 3.0 NIC

Chipset: Intel X540-AT2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 10GbE/1GbE/100Mb

Dimension: 115 x 76 mm(Form Factor) Product weight: 99.3 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

OCP7395i

X520-DA2 Dual- 10G SFP+ Fiber for OCP 3.0 NIC

Chipset: Intel JL82599ES Configuration: 2 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 115 x 76 mm(Form Factor) Product weight: 102.4 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

OCP7430Q

Pending

Qlogic QL41XX Quad-10G SFP+ for OCP 3.0 NIC

Chipset: Qlogic QL41XX Configuration: 4 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 115 x 76 mm(Form Factor) Product weight: 117 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

OCP7435M

Pending

ConnectX-4 Dual- 10G SFP28 for OCP 3.0 NIC

Chipset: Mellanox ConnectX-4 Configuration: 2 x SFP28 Port
Data Rate Per Port: 10/1GbE

Dimension: 115 x 76 mm(Form Factor) Product weight: g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

OCP7427M



ConnectX-4 Dual- 25G SFP28 for OCP 3.0 NIC

Chipset: Mellanox ConnectX-4 Configuration: 2 x SFP28 Port
Data Rate Per Port: 25/10/1GbE

Dimension: 115 x 76 mm(Form Factor) Product weight: 106.1 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

OCP7429i

Pending

OCP7397i

XL710-QDA2 Dual-40G QSFP+ for OCP 3.0 NIC

Chipset: Intel XL710-BM2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 40/10GbE

Dimension: 115 x 76 mm(Form Factor) Product weight: 103.6 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

I350-T4 Quad- 1G RJ45 Copper for OCP 3.0 NIC

Chipset: Intel NHI350AM4 Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 115 x 76 mm(Form Factor) Product weight: g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

T7410i

Thunderbolt 3 Single-10G RJ45 Copper Server NIC

Chipset: Configuration: 1 x RJ45 Port
Data Rate Per Port: 10G/5G/2.5G/1G/100Mb

Dimension: L130 x W54 x H23 mm Product weight: 195.6 g
Accessories: 1 x Thunderbolt 3 Network Cable: 51cm, 1 x Neutral box

OCP7353i

Pending

X710-DA2 Dual- 10G SFP+ Fiber for OCP 3.0 NIC

Chipset: Intel FTX710-BM2 Configuration: 2 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 115 x 76 mm(Form Factor) Product weight: g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

T7433i



M.2 X520 Single-10G SFP+ Industrial Fiber NIC

Chipset: Intel JL82599EN Configuration: 1 x SFP+ Port
Data Rate Per Port: 10/1GbE

Dimension: 22 x 80 mm(M.2) SFP Board: 130 x55mm Weight: 98.9 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box, 1 x Flexible network cable (20 cm)

MT7436



PCIe x8 ConnectX-6 Dual-25G SFP28 RDMA NIC

Chipset: Mellanox ConnectX-6 Configuration: 2 x SFP28 Port
Data Rate Per Port: 25/10GbE

Dimension: 96 x 69 mm(PCIe Board) Product weight: 93.1 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MT7437

PCIe x16 ConnectX-6 Dual-100G QSFP28 RDMA NIC

Chipset: Mellanox ConnectX-6 Configuration: 2 x QSFP28 Port
Data Rate Per Port: 100/50/40/25/10GbE

Dimension: 142 x 69 mm(PCIe Board) Product weight: 147.8 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MT7438

PCIe x16 ConnectX-6 Dual-200G QSFP28 RDMA NIC

Chipset: Mellanox ConnectX-6 Configuration: 2 x QSFP28 Port
Data Rate Per Port: 200/100/50/40/25/10GbE

Dimension: x mm(PCIe Board) Product weight: g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's Manual
1 x Neutral box

MT7343

ConnectX-3 Dual- 40G QSFP+ for OCP 2.0 NIC

Chipset: Mellanox ConnectX-3 Configuration: 2 x QSFP+ Port
Data Rate Per Port: 40/10GbE

Dimension: 110 x 68 mm(Form Factor) Product weight: 62.5 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

MT7344



ConnectX-3 Dual- 10G SFP+ for OCP 2.0 NIC

Chipset: Mellanox ConnectX-3 Configuration: 2 x SFP+ Port
Data Rate Per Port: 40/10GbE

Dimension: 110 x 68 mm(Form Factor) Product weight: 53.8 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

MT7346

ConnectX-4 Dual- 25G SFP28 for OCP 2.0 NIC

Chipset: Mellanox ConnectX-4 Configuration: 2 x SFP28 Port
Data Rate Per Port: 25/10/1GbE

Dimension: 110 x 68 mm(Form Factor) Product weight: 53.6 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

MT7345

ConnectX-4 Single- 25G SFP28 for OCP 2.0 NIC

Chipset: Mellanox ConnectX-4 Configuration: 1 x SFP28 Port
Data Rate Per Port: 25/10/1GbE

Dimension: 110 x 68 mm(Form Factor) Product weight: 51.5 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

MT7351

ConnectX-4 Single- 10G SFP28 for OCP 2.0 NIC

Chipset: Mellanox ConnectX-4 Configuration: 1 x SFP28 Port
Data Rate Per Port: 10/1GbE

Dimension: 110 x 68 mm(Form Factor) Product weight: 51.5 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

MT7347

ConnectX-4 Dual- 10G SFP28 for OCP 2.0 NIC

Chipset: Mellanox ConnectX-4 Configuration: 2 x SFP28 Port
Data Rate Per Port: 10/1GbE

Dimension: 110 x 68 mm(Form Factor) Product weight: 56 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

MT7349

ConnectX-5 Dual- 25G SFP28 for OCP 2.0 NIC

Chipset: Mellanox ConnectX-5 Configuration: 2 x SFP28 Port
Data Rate Per Port: 25/10/1GbE

Dimension: 110 x 68 mm(Form Factor) Product weight: 65 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

MT7348

ConnectX-4 Single- 50G QSFP28 for OCP 2.0 NIC

Chipset: Mellanox ConnectX-4 Configuration: 1 x QSFP28+ Port
Data Rate Per Port: 50/40/25/10/1GbE

Dimension: 110 x 68 mm(Form Factor) Product weight: 57.6 g
Accessories: 1 x CD-Driver, 1 x User's Manual, 1 x Neutral box

RT7276



PCIe x4 RTL8125B Quad-2.5G Copper Ethernet NIC

Chipset: RTL8125B+ASM1806 Configuration: 4 x RJ45 Port
Data Rate Per Port: 2500/1000/100/10Mbps

Dimension: 108 x 69 mm(PCIe Board) Product weight: 101 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

RT7275



PCIe x1 RTL8125B Dual-2.5G Copper Ethernet NIC

Chipset: RTL8125B+ASM1806 Configuration: 2 x RJ45 Port
Data Rate Per Port: 2500/1000/100/10Mbps

Dimension: 100 x 62 mm(PCIe Board) Product weight: 60.3 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

RT7266

PCIe x1 RTL8125B Single-2.5G Copper Ethernet NIC

Chipset: Realtek RTL8125B Configuration: 1 x RJ45 Port
Data Rate Per Port: 2500/1000/100/10Mbps

Dimension: 70 x 56 mm(PCIe Board) Product weight: 39 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

RT7236

PCIe x1 RTL8125 Dual- 2.5G Copper Ethernet NIC

Chipset: RTL8125+ASM1806 Configuration: 2 x RJ45 Port
Data Rate Per Port: 2500/1000/100/10Mbps

Dimension: 79 x 65 mm(PCIe Board) Product weight: 65 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

RT7387



PCIe x1 RTL8111H Quad- RJ45 Gigabit Ethemet NIC

Chipset: RTL8111H+ASM1187 Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 110 x 69 mm(PCIe Board) Product weight: 94.3 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

RT7414



PCIe x1 RTL8111H Quad- RJ45 Gigabit Ethemet NIC

Chipset: RTL8111H+ASM1187 Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 110 x 69 mm(PCIe Board) Product weight: 95.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

RT7244

PCIe x1 RTL8111H Dual- RJ45 Gigabit Ethemet NIC

Chipset: RTL8111H + ASM1182e Configuration: 2 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 79 x 60 mm(PCIe Board) Product weight: 50.7 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

RT7440



PCIe x1 RTL8111H Dual- RJ45 Gigabit Ethemet NIC

Chipset: RTL8111H + ASM1187 Configuration: 2 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 76 x 65 mm(PCIe Board) Product weight: 72.8 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

RT708

PCIe x1 RTL8111F Quad- RJ45 Gigabit Ethemet NIC

Chipset: RTL8111F + ASM1184e Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 100 x 69 mm(PCIe Board) Product weight: 75 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

RT7314

PCIe x1 RTL8111H Quad- RJ45 Gigabit Ethemet NIC

Chipset: RTL8111H + ASM1184e Configuration: 4 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 113 x 68 mm(PCIe Board) Product weight: 80.6 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

RT707



PCIe x1 RTL8111F Dual- RJ45 Gigabit Ethemet NIC

Chipset: RTL8111F+ASM1182e Configuration: 2 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 82 x 67 mm(PCIe Board) Product weight: 52.2 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

RT712



PCIe x1 RTL8111F Dual- RJ45 Gigabit Ethemet NIC

Chipset: RTL8111F+ASM1182e Configuration: 2 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 82 x 67 mm(PCIe Board) Product weight: 45 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

RT703



PCI RTL8100CL 4-Port Fast Ethernet Switch NIC

Chipset: RTL8100 + RTL8305 Configuration: 4 x RJ45 Port
Data Rate Per Port: 100/10Mbps

Dimension: 120 x 92 mm(PCI Board) Product weight: 80 g
Accessories: 1 x Anti-static bag, 1 x Neutral box

RT719

PCIe IC Plus IP175 5-Port Fast Ethernet Switch NIC

Chipset: IC Plus IP175 Configuration: 5 x RJ45 Port
Data Rate Per Port: 100/10Mbps

Dimension: 72 x 105 mm(PCIe Board) Product weight: 70.3 g
Accessories: 1 x Anti-static bag, 1 x Neutral box

RT706



PCIe x1 RTL8111F Single- RJ45 Gigabit Ethemet NIC

Chipset: Realtek RTL8111F Configuration: 1 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 67 x 45 mm(PCIe Board) Product weight: 28.8 g
Accessories: 1 x Low profile bracket, 1 x Neutral box

RT7377



PCIe x1 RTL8111F Dual- RJ45 Gigabit Ethemet NIC

Chipset: RTL8111F + ASM1187 Configuration: 2 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 76 x 65 mm(PCIe Board) Product weight: 72.8 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box

RT713

PCIe x1 RTL8111G Single-RJ45 Gigabit Ethemet NIC

Chipset: Realtek RTL8111G Configuration: 1 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 70 x 65 mm(PCIe Board) Product weight: 35.5 g
Accessories: 1 x Low profile bracket, 1 x Neutral box

RT7324

PCIe x1 RTL8111H Single-RJ45 Gigabit Ethemet NIC

Chipset: Realtek RTL8111H Configuration: 1 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 70 x 65 mm(PCIe Board) Product weight: 35.5 g
Accessories: 1 x Low profile bracket, 1 x Neutral box

RT714



PCIe x1 RTL8111C Single-RJ45 Gigabit Ethemet NIC

Chipset: Realtek RTL8111C Configuration: 1 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 65 x 40 mm(PCIe Board) Product weight: 29 g
Accessories: 1 x Low profile bracket, 1 x Neutral box

RT705



PCIe x1 RTL8111E Single-RJ45 Gigabit Ethemet NIC

Chipset: Realtek RTL8111E Configuration: 1 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 80 x 47 mm(PCIe Board) Product weight: 32.6 g
Accessories: 1 x Low profile bracket, 1 x Neutral box

RT704



PCIe x1 RTL8168E Single-RJ45 Gigabit Ethemet NIC

Chipset: Realtek RTL8168E Configuration: 1 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 82 x 48 mm(PCIe Board) Product weight: 34 g
Accessories: 1 x Anti-static bag, 1 x Neutral box

T718i



PCIe Intel AC7260 Dual-Band Wireless-N Adapter

Chipset: Intel AC7260 Antenna: 2 x 5dBi Gain Antenna
Transmission Rate: 2.4G up to 300Mbps; 5.8G up to 867Mbps

Dimension: 91 x 63 mm(PCIe Board) Product weight: g
Accessories: 1 x CD Driver, 1 x Low profile bracket, 1 x Neutral box
2 x 5dBi Gain antenna, 1 x 9pin to 4pin USB cable

RT701



PCI RTL8139D Single-RJ45 Fast Ethemet NIC

Chipset: Realtek RTL8139D Configuration: 1 x RJ45 Port
Data Rate Per Port: 100/10Mbps

Dimension: 118 x 39 mm(PCI Board) Product weight: 43 g
Accessories: 1 x Low profile bracket, 1 x Neutral box

RT702



PCI RTL8169SC Single- RJ45 Gigabit Ethemet NIC

Chipset: Realtek RTL8169SC Configuration: 1 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 118 x 58 mm(PCI Board) Product weight: 48 g
Accessories: 1 x Low profile bracket, 1 x Neutral box

AQ7355



Cable: Approx. 20cm

M.2 B+M AQC107 Single-10G RJ45 Industrial Ethernet NIC

Chipset: Marvell AQC107 Configuration: 1 x RJ45 Port
Data Rate Per Port: 10G/5G/2.5G/1G/100M

Dimension: 22 x 80 mm(M.2) RJ45 Board: L38 x W60 x H13mm
Accessories: 1 x CD-Driver, 3 x Low profile bracket, 1 x User's manual
1 x FPC Flex cable, 1 x Neutral box

T7303i

Cable: Approx. 30.5cm

MiniPCIE I350-T2 Dual-1G RJ45 Industrial Ethernet NIC

Chipset: Intel NHI350AM2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 30 x 51 mm(MiniPCIE) Product weight: 15.8 g
Accessories: 1 x CD-Driver, 2 x Low profile bracket, 1 x User's manual
1 x FPC Flex cable, 1 x Neutral box

T7242i



Cable: Approx. 30.5cm

MiniPCIE I350-T2 Dual-1G RJ45 Industrial Ethernet NIC

Chipset: Intel NHI350AM2 Configuration: 2 x RJ45 Port
Data Rate Per Port: 1000/100/10Mbps

Dimension: 30 x 51 mm(MiniPCIE) RJ45: 72 x 63 mm P/Weight: 110 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
1 x SAS Network cable, 1 x Neutral box

T7243i

Cable: Approx. 30.5cm

MiniPCIE I350-F2 Dual-1G SFP Industrial Ethernet NIC

Chipset: Intel NHI350AM2 Configuration: 2 x SFP Port
Data Rate Per Port: 1GbE

Dimension: 30 x 51 mm(MiniPCIE) 72 x 63 mm(SFP) P/Weight: 80 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
1 x SATA Network cable, 1 x Neutral box

T7361i

Cable: Approx. 31cm

MiniPCIE I225 Dual- 2.5G RJ45 Industrial Ethernet NIC

Chipset: Intel I225-V+ Configuration: 2 x RJ45 Port
Data Rate Per Port: 2.5/1GbE/ 100/10Mbps

Dimension: 30 x 51 mm(MiniPCIE) RJ45 Board: L33 x W30 x H15mm
Accessories: 1 x CD-Driver, 2 x Low profile bracket, 1 x User's manual
2 x RJ45 Network cable, 1 x Neutral box

T7360i

Cable: Approx. 31cm

MiniPCIE I225 Dual- 2.5G RJ45 Industrial Ethernet NIC

Chipset: Intel I225-V+ Configuration: 2 x RJ45 Port
Data Rate Per Port: 2.5/1GbE/ 100/10Mbps

Dimension: 30 x 51 mm(MiniPCIE) RJ45 Board: L45 x W30 x H15mm
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
2 x RJ45 Network cable, 1 x Neutral box

T7365i



Cable: Approx. 20.8cm

M.2 A+E I225 Single-2.5G RJ45 Industrial Ethernet NIC

Chipset: Intel I225-V Configuration: 1 x RJ45 Port
Data Rate Per Port: 2.5/1GbE/ 100/10Mbps

Dimension: 22 x 30 mm(M.2 Board) RJ45 Board: L33 x W30 x H15mm
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
1 x RJ45 Network cable, 1 x Neutral box

T7366i



Cable: Approx. 20.8cm

M.2 B+M I225 Single-2.5G RJ45 Industrial Ethernet NIC

Chipset: Intel I225-V Configuration: 1 x RJ45 Port
Data Rate Per Port: 2.5/1GbE/ 100/10Mbps

Dimension: 30 x 51 mm(MiniPCIE) RJ45 Board: L33 x W30 x H15mm
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
1 x RJ45 Network cable, 1 x Neutral box

T7304i



Cable: Approx. 26.5cm

M.2 B+M I225 Single-2.5G RJ45 Industrial Ethernet NIC

Chipset: Intel I225-V Configuration: 1 x RJ45 Port
Data Rate Per Port: 2.5/1GbE/ 100/10Mbps

Dimension: 22 x 42 mm(M.2 Board) Product weight: 47.3 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
1 x RJ45 Network cable, 1 x Neutral box

T7305i



Cable: Approx. 26.5cm

M.2 B+M I225 Single-2.5G RJ45 Industrial Ethernet NIC

Chipset: Intel I225-V Configuration: 1 x RJ45 Port
Data Rate Per Port: 2.5/1GbE/ 100/10Mbps

Dimension: 22 x 42 mm(M.2 Board) Product weight: 40.3 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
1 x 10Pin Network cable, 1 x 4Pin LED Power cable, 1 x Neutral box

T7359i



Cable: Approx. 20.8cm

MiniPCIE I225 Single-2.5G RJ45 Industrial Ethernet NIC

Chipset: Intel I225-V Configuration: 1 x RJ45 Port
Data Rate Per Port: 2.5/1GbE/ 100/10Mbps

Dimension: 30 x 51 mm(MiniPCIE) RJ45 Board: L33 x W30 x H15mm
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
1 x RJ45 Network cable, 1 x Neutral box

T7254i

Cable: Approx. 26.5cm

MiniPCIE I210-T1 Single-1G RJ45 Industrial Ethernet NIC

Chipset: Intel WGI210AT Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 30 x 51 mm(MiniPCIE) Product weight: 49 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
1 x RJ45 Network cable, 1 x Neutral box

T7362i

Cable: Approx. 31cm

MiniPCIE I210-T2 Dual- 1G RJ45 Industrial Ethernet NIC

Chipset: Intel WGI210AT + Configuration: 2 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 30 x 51 mm(MiniPCIE) RJ45 Board: L45 x W30 x H15mm
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
2 x RJ45 Network cable, 1 x Neutral box

T7363i

Cable: Approx. 31cm

MiniPCIE I210-T2 Dual- 1G RJ45 Industrial Ethernet NIC

Chipset: Intel WGI210AT + Configuration: 2 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 30 x 51 mm(MiniPCIE) RJ45 Board: L33 x W30 x H15mm
Accessories: 1 x CD-Driver, 2 x Low profile bracket, 1 x User's manual
2 x RJ45 Network cable, 1 x Neutral box

T7302i

Cable: Approx. 30.5cm

MiniPCIE I210-T2 Dual- 1G RJ45 Industrial Ethernet NIC

Chipset: Intel WGI210AT + Configuration: 2 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 30 x 51 mm(MiniPCIE) Product weight: 110 g
Accessories: 1 x CD-Driver, 2 x Low profile bracket, 1 x User's manual
1 x RJ45 Network cable, 1 x Neutral box

T7301i



Cable: Approx. 25.5cm

M.2 B+M I210-T1 Single-1G RJ45 Industrial Ethernet NIC

Chipset: Intel WGI210AT Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 22 x 42 mm(M.2 Board) RJ45 Port: L35 x W21 x H22 mm
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
1 x RJ45 Network cable, 1 x Neutral box

T7249i



Cable: Approx. cm

M.2 A+E I210-F1 Single- 1G SFP Industrial Ethernet NIC

Chipset: Intel WGI210AS Configuration: 1 x SFP Port
Data Rate Per Port: 1GbE

Dimension: 22 x 30 mm(M.2) 52 x 63 mm(SFP) Product weight: 50 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
1 x 16Pin Network cable, 1 x Neutral box

T7248i

Cable: Approx. cm

M.2 A+E I210-T1 Single-1G RJ45 Industrial Ethernet NIC

Chipset: Intel WGI210AT Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 22 x 30 mm(M.2 Board) Product weight: 31 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
1 x RJ45 Network cable, 1 x Neutral box

T7274i

Cable: Approx. cm

M.2 A+E I210-T1 Single-1G RJ45 Industrial Ethernet NIC

Chipset: Intel WGI210AT Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 22 x 30 mm(M.2 Board) Product weight: 30 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
1 x RJ45 Network cable, 1 x Neutral box

T7273i

Cable: Approx. cm

M.2 A+E I210-F1 Single- 1G SFP Industrial Ethernet NIC

Chipset: Intel WGI210AS Configuration: 1 x SFP Port
Data Rate Per Port: 1GbE

Dimension: 22 x 30 mm(M.2 Board) Product weight: 25 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
1 x Neutral box, 1 x 16Pin Network cable

T7300i

Cable: Approx. 26.5cm

M.2 B+M I210-T1 Single-1G RJ45 Industrial Ethernet NIC

Chipset: Intel WGI210AT Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 22 x 42 mm(M.2 Board) RJ45 Board: L25 x W63 x H15mm
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
1 x 10Pin RJ45 Network cable, 1 x 4Pin LED cable, 1 x Neutral box

T7241i

Cable: Approx. 26.5cm

MiniPCIE I210-F1 Single- 1G SFP Industrial Ethernet NIC

Chipset: Intel WGI210AS Configuration: 1 x SFP Port
Data Rate Per Port: 1GbE

Dimension: 30 x 51 mm(MiniPCIE) 52 x 63 mm(SFP) P/Weight: 50 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
1 x 7-Pin Network cable, 1 x SATA Power cable, 1 x Neutral box

T7251i



Cable: Approx. 30.5cm

MiniPCIE 82583V Dual- 1G RJ45 Industrial Ethernet NIC

Chipset: Intel WG82583V Configuration: 2 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 30 x 51 mm(MiniPCIE) Product weight: 86.5 g
Accessories: 1 x CD-Driver, 2 x Low profile bracket, 1 x User's manual
1 x RJ45 Network cable, 1 x Neutral box

T7247i



Cable: Approx. 30.5cm

MiniPCIE 82583V Dual- 1G RJ45 Industrial Ethernet NIC

Chipset: Intel WG82583V Configuration: 2 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 30 x 51 mm(MiniPCIE) Product weight: 86.5 g
Accessories: 1 x CD-Driver, 2 x Low profile bracket, 1 x User's manual
1 x RJ45 Network cable, 1 x Neutral box

T7226i



Cable: Approx. 28cm

MiniPCIE 82574 Single- 1G RJ45 Industrial Ethernet NIC

Chipset: Intel WG82574L Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 30 x 51 mm(MiniPCIE) RJ45: 25 x 63 mm P/Weight: 45 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
1 x 10Pin Network cable, 1 x 4Pin LED cable, 1 x Neutral box

T7237i

Cable: Approx. 31.5cm

MiniPCIE 82574 Single- 1G RJ45 Industrial Ethernet NIC

Chipset: Intel WG82574L Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 30 x 51 mm(MiniPCIE) RJ45 Port: L35 x W21 x H22 mm
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x User's manual
1 x RJ45 Network cable, 1 x Neutral box

RT7367



Cable: Approx. 30cm

MiniPCIE 8125B Dual-2.5G RJ45 Industrial Ethernet NIC

Chipset: RTL8125B + ASM1182e Configuration: 2 x RJ45 Port
Data Rate Per Port: 10/100/1000/2500Mbps

Dimension: 30 x 51 mm(MiniPCIE) RJ45: L32 x W57 x H15 mm
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box
1 x FPC flex cable

RT7371



Cable: Approx. 26.5cm

M.2 B+M 8125B Dual-2.5G RJ45 Industrial Ethernet NIC

Chipset: RTL8125B + ASM1182e Configuration: 2 x RJ45 Port
Data Rate Per Port: 10/100/1000/2500Mbps

Dimension: 22 x 80 mm(M.2) RJ45: L32 x W57 x H15 mm
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box
1 x 10Pin Network cable, 1 x 4Pin LED cable

RT7271



Cable: Approx. 31.5cm

M.2 A+E 8125B Single-2.5G RJ45 Industrial Ethernet NIC

Chipset: Realtek RTL8125B Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000/2500Mbps

Dimension: 22 x 30 mm(M.2 Board) RJ45: L30 x W20 x H15 mm
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box
1 x 14Pin Network cable

RT7206

Cable: Approx. 18.5cm

M.2 A+E 8125B Single-2.5G RJ45 Industrial Ethernet NIC

Chipset: Realtek RTL8125B Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000/2500Mbps

Dimension: 22 x 30 mm(M.2 Board) RJ45: L30 x W20 x H15 mm
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box
1 x 14Pin Network cable

RT7201

Cable: Approx. 31.5cm

MiniPCIE 8125B Single-2.5G RJ45 Industrial Ethernet NIC

Chipset: Realtek RTL8125B Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000/2500Mbps

Dimension: 30 x 51 mm(MiniPCIE) RJ45 Port: L35 x W21 x H22 mm
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box
1 x RJ45 Network cable

RT7364



Cable: Approx. 30cm

MiniPCIE 8111H Dual- 1G RJ45 Industrial Ethernet NIC

Chipset: Realtek RTL8111H Configuration: 2 x RJ45 Port
Data Rate Per Port: 10/100/1000/2500Mbps

Dimension: 30 x 51 mm(MiniPCIE Board) RJ45: L30 x W20 x H15 mm
Accessories: 1 x CD-Driver, 2 x Low profile bracket, 1 x Neutral box
2 x 12Pin Network cable

RT7393



Cable: Approx. 20cm

MiniPCIE 8111F Single- 1G RJ45 Industrial Ethernet NIC

Chipset: Realtek RTL8111F Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 30 x 51 mm(MiniPCIE) RJ45 Board: L32 x W26 x H15mm
Accessories: 1 x FPC flex cable, 1 x Low profile bracket, 1 x Neutral box

RT7392



Cable: Approx. 20cm

M.2 B+M 8111F Single- 1G RJ45 Industrial Ethernet NIC

Chipset: Realtek RTL8111F Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 22 x 80 mm(M.2 board) RJ45 Board: L32 x W26 x H15mm
Accessories: 1 x FPC flex cable, 1 x Low profile bracket, 1 x Neutral box

RT7281



Cable: Approx. 18cm

M.2 A+E 8111F Single-1G RJ45 Industrial Ethernet NIC

Chipset: Realtek RTL8111F Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 22 x 30 mm(M.2 Board) RJ45: L30 x W20 x H15 mm
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box
1 x 14Pin Network cable

RT7277

Cable: Approx. 18cm

MiniPCIE 8111F Single-1G RJ45 Industrial Ethernet NIC

Chipset: Realtek RTL8111F Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 30 x 51 mm(MiniPCIE Board) RJ45: L30 x W20 x H15 mm
Accessories: 1 x CD-Driver, 2 x Low profile bracket, 1 x Neutral box
1 x 16Pin Network cable

RT7227



Cable: Approx. 26.5cm

MiniPCIE 8111F Single- 1G RJ45 Industrial Ethernet NIC

Chipset: Realtek RTL8111F Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 30 x 51 mm(MiniPCIE) RJ45: 25 x 38 mm P/Weight: 45 g
Accessories: 1 x Low profile bracket, 1 x Neutral box, 1 x 4Pin LED cable
1 x 10Pin Network cable,

RT7228

Cable: Approx. 26.5cm

MiniPCIE 8111F Dual- 1G RJ45 Industrial Ethernet NIC

Chipset: RTL8111F + ASM1182e Configuration: 2 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 30 x 51 mm(MiniPCIE) RJ45: x mm P/Weight: g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box
2 x 10Pin Network cable, 1 x 4Pin LED cable

RT7245



Cable: Approx. 26.5cm

M.2 B+M 8111F Single-1G RJ45 Industrial Ethernet NIC

Chipset: Realtek RTL8111F Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 22 x 42 mm(M.2) RJ45: 25 x 38 mm P/Weight: 41.3 g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box
1 x 10Pin Network cable, 1 x 4Pin LED cable

RT7240



Cable: Approx. 31.5cm

MiniPCIE 8111F Single-1G RJ45 Industrial Ethernet NIC

Chipset: Realtek RTL8111F Configuration: 1 x RJ45 Port
Data Rate Per Port: 10/100/1000 Mbps

Dimension: 30 x 51 mm(MiniPCIE) Product weight: g
Accessories: 1 x CD-Driver, 1 x Low profile bracket, 1 x Neutral box
1 x 10Pin Network cable

RT709

Cable: Approx. 20cm

USB3.0 to SFP 8153 Gigabit Fiber Ethernet Adapter

Chipset: Realtek RTL8153
Data Rate: 1000Mbps
Upstream: USB3.0 AF port
Downstream: SFP port
Dimension: L70 x W45 x H18 mm
Product weight: 45 g
Accessories: 1 x Anti-static bag, 1 x Neutral box

RT710

Cable: Approx. 20cm

TYPE-C to SFP 8153 Gigabit Fiber Ethernet Adapter

Chipset: Realtek RTL8153
Data Rate: 1000Mbps
Upstream: USB3.1-C port
Downstream: SFP port
Dimension: L70 x W45 x H18 mm
Product weight: 45 g
Accessories: 1 x Anti-static bag, 1 x Neutral box

AX716

Cable: Approx. 20cm

TYPE-C to SFP AX88772 Fast Ethernet Fiber Adapter

Chipset: ASIX AX88772C
Data Rate: 100Mbps
Upstream: USB Type-C port
Downstream: SFP port
Dimension: L70 x W45 x H18 mm
Product weight: 43 g
Accessories: 1 x Anti-static bag, 1 x Neutral box

AX717

Cable: Approx. 20cm

USB2.0 to SFP AX88772 Fast Ethernet Fiber Adapter

Chipset: ASIX AX88772C
Data Rate: 100Mbps
Upstream: USB2.0 AF port
Downstream: SFP port
Dimension: L70 x W45 x H18 mm
Product weight: 43 g
Accessories: 1 x Anti-static bag, 1 x Neutral box

RT731

Cable: Approx. 18cm

USB3.0 to RJ45 RTL8156B 2.5G Ethernet Adapter

Chipset: Realtek RTL8156B
Data Rate: 2.5G/1G/100/10M
Upstream: USB3.0 AF port
Downstream: RJ45 port
Dimension: L60 x W22 x H16 mm
Product weight: 26.8 g
Accessories: 1 x Anti-static bag, 1 x Neutral box

RT732

Cable: Approx. 18cm

TYPE-C to RJ45 RTL8156B 2.5G Ethernet Adapter

Chipset: Realtek RTL8156B
Data Rate: 2.5G/1G/100/10M
Upstream: USB Type-C port
Downstream: RJ45 port
Dimension: L60 x W22 x H16 mm
Product weight: 26.8 g
Accessories: 1 x Anti-static bag, 1 x Neutral box

RT733

Cable: Approx. 18cm

TYPE-C to RJ45 RTL8153 Gigabit Ethernet Adapter

Chipset: Realtek RTL8153
Data Rate: 10/100/1000Mbps
Upstream: USB Type-C port
Downstream: RJ45 port
Dimension: L60 x W22 x H16 mm
Product weight: 25 g
Accessories: 1 x Anti-static bag, 1 x Neutral box

AX737

Cable: Approx. 18cm

USB3.0 to RJ45 AX88179 Gigabit Ethernet Adapter

Chipset: ASIX AX88179
Data Rate: 10/100/1000Mbps
Upstream: USB2.0 AF port
Downstream: RJ45 port
Dimension: L60 x W22 x H16 mm
Product weight: 25 g
Accessories: 1 x Anti-static bag, 1 x Neutral box